

L Number	Hits	Search Text	DB	Time stamp
1	1	(hyperTransport (hyper adj transport)) adj3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:18
2	1	(hyperTransport (hyper adj transport)) near3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:18
3	3	(hyperTransport (hyper adj transport)) near3 (hub bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:19
4	9	(hyperTransport (hyper adj transport)) near3 (device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:20
5	32	(hyperTransport (hyper adj transport)) near3 (i/o input/output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:22
6	4	(hyperTransport (hyper adj transport)) adj3 controller	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:23
7	98	(hyperTransport (hyper adj transport))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:23
9	13	(API adj networks).as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:47
-	23539	(HT (hyperTransport (hyper adj transport)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:17
-	5	HT adj configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:25
-	238	configuration adj transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:26
-	2	(configuration adj transaction) and (type0 type1 HT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:27
-	16	type0 same type1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:28

-	14	(type0 same type1) and @ad<20010713	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 17:23
-	34679	"type 0" "type 1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:04
-	10361	("type 0" "type 1") and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:01
-	30	("type 0" "type 1") adj (configuration adj transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:04
-	28	"type 1" adj (configuration adj transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:04
-	1089	(south north) adj bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:13
-	551	(south same north) adj bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:13
-	374	((south same north) adj bridge) same (pci peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:14
-	14	((pci-to-pci) adj bridge).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:39
-	47	(configuration and pci).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:37
-	4	(configuration and pci).ti. and (issu\$3 and forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:37
-	98	(hyperTransport (hyper adj transport))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:06
-	14	(hyperTransport (hyper adj transport)) same configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:07

-	25	(hyperTransport (hyper adj transport)) same device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:07
-	0	lighting adj data adj transport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:22
-	1	lightening adj data adj transport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:23
-	45	lightning adj data adj transport	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 11:23
-	0	configuration-forwarding adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:07
-	34	(hierarchical adj bus) same configur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:08
-	0	(hierarchical adj bus) same configur\$5 same switch\$3 same port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:09
-	92781	(detect\$3 sens\$3) adj3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:11
-	3206	((detect\$3 sens\$3) adj3 switch) same port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:13
-	16	((detect\$3 sens\$3) adj3 switch) same port\$1 same generat\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 15:15
-	41311	(switch bridge hub) same (detect\$3 found find\$3) same port\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:15
-	35296	(switch bridge hub) same detect\$3 same port\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:20
-	946	(switch bridge hub) same detect\$3 same port\$3 same (enabled disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:17

-	150	(switch bridge hub) same detect\$3 same port\$3 same (enabled same disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:17
-	12	(switch bridge hub) same detect\$3 same port\$3 same (enabled same disabled) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:18
-	1469	(switch bridge hub) same detect\$3 same port\$3 same configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:20
-	13001	detecting adj3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:24
-	296	(detecting adj3 switch) same (table list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:37
-	0	(detecting adj3 switch) same (table list) same (enabled same disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:25
-	3	(detecting adj3 switch) same (table list) same (enabled disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:25
-	19	(detecting with switch) same (table list) same (enabled disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:31
-	8	(detecting adj3 (bridge hub)) same (table list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:41
-	75	(detecting with (bridge hub)) same (table list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 17:41
-	4281	detect\$3 adj3 (hub bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:38
-	3714	detect\$3 adj3 bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:38
-	1067	detect\$3 adj bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:38

-	6	(detect\$3 adj bridge) same (number with port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:45
-	5353	routing adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:50
-	2768	(routing adj table) and detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:50
-	87	(routing adj table) and (number same port\$1 same detect\$3 same (enabl\$3 disabl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:51
-	384	(pci-to-pci bridge) same (slot\$1 port\$1) same ports\$1 same (table list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:18
-	912	generat\$3 same table same (bridge (network adj switch) hub)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:39
-	126	generat\$3 same table same (bridge (network adj switch) hub) same detect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:39
-	9165	determin\$3 with bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:58
-	0	(determin\$3 with chassis with slot) same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:59
-	30	determin\$3 with chassis with slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 11:59
-	133	slot adj numbering	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 12:14
-	6488	(table list) same (port\$1 with number)(multicast\$3 with switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 12:24
-	47	(table list) same (port\$1 with number) same (multicast\$3 with switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 12:24

-	3663	(generat\$3 with (table list)) same (switch bridge hub)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 12:40
-	20	(generat\$3 with (table list)) same (switch bridge hub) same detect\$3 same presence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 12:40
-	124	bridge same table same (generat\$3 creat\$3 initializ\$3) same port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 13:16
-	952	sony.as. and "1394"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 13:20
-	73	sony.as. and 1394.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 13:20
-	1749	scan\$4 same bus\$4 same (list table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:00
-	808	detect\$3 same (hub\$1 (network adj switch\$1)) same port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 10:37
-	334	detect\$3 with (hub\$1 (network adj switch\$1)) with port\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:34
-	12	detect\$3 with (hub\$1 (network adj switch\$1)) with port\$1 with (list table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:34
-	7845	detect\$3 with (presence present) with switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:37
-	6	detect\$3 with (presence present) with (network adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:47
-	33	table with routing with (network adj switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:47
-	235	enable same disable same table same port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:50

-	3	enable same disable same table same port same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:52
-	1146	forward\$3 adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:52
-	3	(routing adj table) same (enable same disable) same port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:53
-	362	slot adj3 (enabled disabled)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:54
-	1	(slot adj3 (enabled disabled)) with (table list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:54
-	35	((primary same secondary) adj port\$1) same (enabl\$3 disabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 11:59
-	51	packet adj forward\$3 adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:38
-	2	detect\$3 same (packet adj forward\$3 adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:38
-	118	((enabled disabled) adj slot\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:44
-	18	((enabled disabled) adj slot\$1) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:44
-	2094	(routing adj information) same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:22
-	21	((routing adj information) same table) and (pci adj bridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:23
-	19	((routing adj information) same table) and (pci adj bridge) and (enabl\$3 disabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:23

-	41	port same (enabled same disabled) same table same (forward\$3 routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:27
-	2012	table same (enable same disable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:47
-	17	table same (port\$1 adj3 (enable same disable) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 13:48